




REV	ECN	CONTENT	CHECK	DATE
V0.0		ORIGINAL	ZY	2019.11.27
V1.0		arrange the drawing	XCN	2020.06.05



- SPECIFICATION:**
- Material Quality:
Plastic: LCP White UL94 V-0
PIN: Phosphor bronze (T=0.20)
 - Electroplate:
Gold plating of contact area: $\geq 0.25\mu\text{m}$;
Gold plating of welding area: $\geq 0.025\mu\text{m}$;
Nickel plating in remaining areas: $\geq 2\mu\text{m}$.
 - Pin is within 0.15 flatness.
 - RoHS Compliance.

SOLDERING INFORMATION:
Reflow Soldering: 240°C (20S max), Peak Temperature 260°C,
Manual Soldering: 30W Iron, 320±5°C, 3S max

HOW TO ORDER:
9KF002 P - 60P - XX - XXXXX

Series → P: P side → No. of Pole → TR: tape/reel (with Tape) → Customer Request

General tolerance in mm		radii and chamfers		shorter angle side		=		//	
0.5	over	0.5	over	to	up	to	over	to	over
3	over	30	over	to	10	to	50	to	100
6	to	120	to	10	10	50	all	to	150
30	to	400	to	10	50	120	all	to	150
1000	to	1000	to	10	50	120	all	to	150
3	to	3	to	6	10	10	100	to	150
±0.15	±0.2	±0.25	±0.3	±0.5	±0.8	±0.2	±0.5	±1.0	±1°
±0.3	±0.5	±0.8	±1.0	±1°	±30°	±20°	0.5	0.2	0.3
0.5	over	6	over	to	10	to	50	to	100
30	to	120	to	10	10	50	all	to	150
400	to	1000	to	10	50	120	all	to	150
1000	to	1000	to	10	50	120	all	to	150
3	to	3	to	6	10	10	100	to	150

APP.	DATE	NAME	9KF002S-60P-00
CHK.	DATE		
DWG.	DATE	DWGNO.	W22000011
UNITS	MM	SCALE	1:1
		SHEET	1/1
		PROJECTION-METHOD	☉

DF 慈溪市凯峰电子有限公司
CIXI KAIFENG ELECTRONICS CO., LTD